


SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-137M-CP



The flow rate displayed is calculated using ideal system conditions. This result should only be taken as an indication as the flow rate may vary depending on the specific in-situ configuration.

TAP TYPE

Bath Filler

PLUMBING SYSTEM SUITABILITY

Pumped System

HANDLES

Single Lever

MATERIAL

Brass

HOLES

1 Hole

MOUNTING

Deck Mounted

WITH INTEGRATED WASTE

None

WITH WATER FLOW STRAIGHTENER

Yes

WITH SWIVEL SPOUT

with Fixed Spout

tel: 01934 744466
email: sales@vado.com
www.vado.com

WHERE INSPIRATION FLOWS
TAPS | SHOWERS | FURNITURE



SPECIFICATION SHEET

COLLECTION: AVA

PRODUCT CODE: AX-AVA-137M-CP

CONNECTIONS / FITTINGS

2 x 1/2" nut x 400mm flexipipe connections

DECK HOLE DRILL DIAMETER

35-38mm

MINIMUM OPERATING PRESSURE

1.0 Bar MP

FLOW RATE AT 3.0 BAR FLOW PRESSURE

Delivers 29 l/m (spout) flow rate at 3 bar water pressure

SPARE PARTS

Cartridge W-001-N40

STYLE

Round

NOTES

Fitted with Neoperl water flow straightener

FINISH

Chrome

COLLECTION NAME

Ava

GUARANTEE

10 Year Guarantee



TECHNICAL DRAWING

COLLECTION: AVA

PRODUCT CODE: AX-AVA-137M-CP

