N 50. Built-in double oven. Width 60 cm U1ACE2HN0B





Included accessories

x combination grid, x universal pan

Optional accessories

Z11AB15A0 Baking tray, non-stick ceramic coated

Z11CB10E0 Baking tray, grey enamelled

Z11CR10X0 Baking and roasting grid (standard)

Z11GT10X3 Glass roasting dish, 5,4l

Z11TF36X0

Z11TI15X0 Cliprails Baking Stone 71913X0 Z19DD10X0 Steam set for ovens Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{}$ EasyClean this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- $\sqrt{\mbox{ LCD-Display}}$ simple, straightforward with large characters for clear reading
- $\sqrt{\ }$ Clip-on Rail easily removed and installed telescopic rails for flexible use on all shelf levels

Features

Technical Data

Color / Material Front : Stainless steel

Construction type: Built-in Integrated Cleaning system: No Dimensions: 888 x 594 x 550

Dimensions of the packed product (HxWxD) (mm) : $960 \times 690 \times 660$

Control Panel Material: Glass Door Material: Glass Net weight (kg): 51.043 Usable volume of cavity (I): 71

Cooking method: Conventional heat, Full width grill, Hot Air, Hotair

gentle, Hot air grilling

Temperature control: mechanical Number of interior lights: 1 Approval certificates: CE, VDE EAN code: 4242004222026 Energy efficiency rating: A

Energy consumption per cycle conventional (2010/30/EC): 1.02 Energy consumption per cycle forced air convection (2010/30/EC) :

Energy efficiency class (2010/30/EC) - cavity 2 : B

Energy consumption per cycle conventional - cavity 2 (2010/30/EC) :

Energy efficiency index (2010/30/EC): 95.3

Energy efficiency index cavity 2 (2010/30/EC): 120.3

Connection rating (W): 5900

Current (A):32 Voltage (V): 220-240 Frequency (Hz): 50

Plug type: fixed connection, no plug



N 50, Built-in double oven, Width 60 cm U1ACE2HN0B

Features

• LCD Display (White)

Features

• Control panel lock

Top oven additional features

- Cavity volume: 34 Litre
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: bottom

Main oven additional features

- EasyClean
- 1 Clip rail, Stop function
- Cavity (inner surface) bottom: Enamel grey
- Oven with 4 heating methods: Top/bottom heat, Full surface grill, Small area grill, Bottom heat
- \bullet Temperature range 50 °C 275 °C
- 3 x combination grid, 1 x universal pan

Performance/technical information

- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 50, Built-in double oven, Width 60 cm U1ACE2HN0B

Dimensioned drawings

