









The gas hob with a stainless-steel surface design and adjustable FlameSelect.

- $\sqrt{\ }$ FlameSelect Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 steps. Always the same reliable and precise power levels for outstanding cooking convenience.
- $\sqrt{\,}$ Design co-ordinated control dials easy to operate in an attractive design.
- $\sqrt{}$ Powerful cooking at up to 4 kW.
- $\sqrt{}$ Continuous cast-iron pan supports for maximum stability and cooking convenience.

Features

Technical Data

Product name/family: gas hob w integrated controls

Construction type : Built-in

Energy input : Gas

Total number of positions that can be used at the same time : 5 Required niche size for installation (HxWxD) : $45 \times 560-562 \times 10^{-2}$

480-492

Width of the product (mm): 750

Dimensions of the product (mm) : $45 \times 750 \times 520$

Dimensions of the packed product (HxWxD) (mm) : $145 \times 793 \times 600$

Net weight (kg): 14.335 Gross weight (kg): 16.0 Residual heat indicator: without Location of control panel: Hob front Basic surface material: Enamel Color of surface: Black Color of frame: Black

Approval certificates : CE Length of electrical supply cord (cm) : 100

EAN code: 4242004203513 Electrical connection rating (W): 1 Gas connection rating (W): 11500

Current (A) : 3 Voltage (V) : 220-240 Frequency (Hz) : 50; 60



N 70, Gas hob, 75 cm, T27DS59S0

Features

Design

• black enamel

Special features

- FlameSelect with 9 steps
- Design co-ordinated control dials
- Ignition via control dials
- black cast iron pan supports with protective rubber feet

Power and size:

- 5 burner hob
- 4 gas + wok (Center)
- Left rear: Standard burner 1.75 KW
- Right rear: High speed burner 3 KW
- Center front: Wok burner 4 KW
- Left front: Economy burner 1 KW
- Right front: Standard burner 1.75 KW

Safety Features

- Flame failure safety device
- \bullet Factory set for connection to mains gas

Technical information

• Power cord length 100 cm

Accessories

• LPG jets (28-30/37mbar) included

Dimensioned drawings

