


CUSTOM

A low profile design tray allowing for level access with a unique fast flow trap allowing drainage up to 50l/min available in a large range of trimmable sizes, five colours and several textures including a EU Certified anti-slip.



- 1 slim 35mm profile
- 2 Bespoke Waste with a flow rate of 50l/min and integral Polished Stainless steel slotted cover.





CUT OUT OPTIONS



ANTISLIP OPTION

HIGH STABILITY

HIGH SHOCK RESISTANCE

EASY TO CLEAN

SHAPABLE TRAY


CUSTOM

CUSTOM

STANDING ON FLOOR
HEIGHT 3,5 CM



COLOURS AVAILABLE



Dimensions				Regular surface						With anti-slip treatment	
				Code	Price					Code	Price
					30	79	11	29	28		
				White	Soft White	Beige	Grey	Black			
A x B ± 2 mm	C x D ± 3 mm	P								White	
120x70	1192x692	1194x694	500	CU120704-						CU120704A-	
120x80	1192x792	1194x794	500	CU120804-						CU120804A-	
120x90	1192x892	1194x894	500	CU120904-						CU120904A-	
140x70	1392x692	1394x694	600	CU140704-						CU140704A-	
140x80	1392x792	1394x794	600	CU140804-						CU140804A-	
140x90	1392x892	1394x894	600	CU140904-						CU140904A-	
160x70	1592x692	1594x694	700	CU160704-						CU160704A-	
160x80	1592x792	1594x794	700	CU160804-						CU160804A-	
160x90	1592x892	1594x894	700	CU160904-						CU160904A-	
180x80	1792x792	1794x794	800	CU180804-						CU180804A-	
180x90	1792x892	1794x894	800	CU180904-						CU180904A-	


HOW TO CHOOSE YOUR PRODUCT USING THE CODES:

CU120804-30 = CU120804- + 30

• IN STOCK UK
(Other products) please check availability

X Embedded in the floor area for unloading H 100

FLUSH FLOOR MOUNTED







CUSTOM

STANDING ON FLOOR
HEIGHT 12 CM



COLOURS AVAILABLE



Dimensions			
A x B	C x D	P	
± 2 mm	± 4 mm		

	A x B ± 2 mm	C x D ± 4 mm	P
120x70	1192x692	1198x698	500
120x80	1192x792	1198x798	500
120x90	1192x892	1198x898	500
140x70	1392x692	1398x698	600
140x80	1392x792	1398x798	600
140x90	1392x892	1398x898	600
160x70	1592x692	1598x698	700
160x80	1592x792	1598x798	700
160x90	1592x892	1598x898	700
180x80	1792x792	1798x798	800
180x90	1792x892	1798x898	800

Regular surface						With anti-slip treatment	
Code	Price					Code	Price
	30	79	11	29	28		30
	White	Soft white	Beige	Grey	Black		White
CU1207011-						CU1207011A-	
CU1208011-						CU1208011A-	
CU1209011-						CU1209011A-	
CU1407011-						CU1407011A-	
CU1408011-						CU1408011A-	
CU1409011-						CU1409011A-	
CU1607011-						CU16070411-	
CU1608011-						CU1608011A-	
CU1609011-						CU1609011A-	
CU1808011-						CU1808011A-	
CU1809011-						CU1809011A-	


HOW TO CHOOSE YOUR PRODUCT USING THE CODES:

CU1208011-30 = CU1208011- + 30

• IN STOCK UK
(Other products) please check availability

Y The area available for unloading above the floor

OPTIONAL



Kit of 2 plastic finishing
profiles 195 cm

Code	Price
PRVA195-30	

REQUIRED



Imperial to Metric
flex waste adaptor

Code	Price
RISCCAB	

OLYMPIC PLUS

STEEL REINFORCED LOW PROFILE
LUXURIANTLY TEXTURED ACRYLIC SHOWER TRAY



INCLUDED IN THE PRICE







Waste column ø 90
included in the price

REQUIRED



Imperial to Metric
flex waste adaptor

Code	Price
RISCCAB	



OLYMPIC SQUARE

SQUARE AND RECTANGULAR SHOWER TRAY

with subtle elegant assuring linear raised design



OPTIONAL



Waste column $\varnothing$ 90
not included
Flow rate: 27 lt./min.

Feet set

Code		Price	
Code	Price	Code	Price
PIL90PCAB-CR40		R05PIIL11	


For an perfect water tight use our drain **PIL90PCAB-CR40**,
or waste columns with double lip seal.

REQUIRED



Imperial to Metric
flex waste adaptor

Code	Price
RISCCAB	



OLYMPIC SQUARE

HEIGHT 4,5 CM


Dimensions			Code	Colour choice / Prices
				30
				White
	A x B ± 2 mm	C x D ± 3 mm		
80 x 80	794 x 794	796 x 796	OLN 80 4-	
90 x 70	894 x 694	896 x 696	OLN 9070 4-	
90 x 75	894 x 744	896 x 746	OLN 9075 4-	
90 x 90	894 x 894	896 x 896	OLN 90 4-	
100 x 70	994 x 694	996 x 696	OLN100704-	
100 x 80	994 x 794	996 x 796	OLN100804-	
100 x 100	994 x 994	996 x 996	OLN 100 4-	
120 x 80	1194 x 794	1196 x 796	OLN120804-	
120 x 90	1194 x 894	1196 x 896	OLN120904-	

HOW TO CHOOSE YOUR PRODUCT USING THE CODES:

OLN804-30 = OLN804- + 30



* Reinforcing steel profile



OLYMPIC SQUARE

HEIGHT 11,5 CM

Dimensions			Code	Colour choice / Prices
				30
				White
	A x B ± 2 mm	C x D ± 4 mm		
80 x 80	794 x 794	798 x 798	OLN 80 11-	
90 x 70	894 x 694	898 x 698	OLN 9070 11-	
90 x 75	894 x 744	898 x 748	OLN 9075 11-	
90 x 90	894 x 894	898 x 898	OLN 90 11-	
100 x 70	994 x 694	998 x 698	OLN10070 11-	
100 x 80	994 x 794	998 x 798	OLN10080 11-	
100 x 100	994 x 994	998 x 998	OLN 100 11-	
120 x 80	1194 x 794	1198 x 798	OLN12080 11-	
120 x 90	1194 x 894	1198 x 898	OLN12090 11-	

HOW TO CHOOSE YOUR PRODUCT USING THE CODES:


OLN8011-30 = OLN8011- + 30

X Embedded in the floor area for unloading H 100


Y The area available for unloading above the floor

• IN STOCK UK

(Other products) please check availability



80x80 - 90x90 - 100x100



90x70 - 90x75 - 100x70 - 100x80

OLYMPIC QUADRANT

QUADRANT SHOWER TRAY

with subtle elegant assuring linear raised design



OPTIONAL



Waste column $\varnothing$ 90
not included
Flow rate: 27 lt./min.

Feet set

Code	Price	Code	Price
PIL90PCAB-CR40		R05PIIL11	







For an perfect water tight use our drain **PIL90PCAB-CR40**,
or waste columns with double lip seal.

REQUIRED



Imperial to Metric
flex waste adaptor

Code	Price
RISCCAB	



OLYMPIC QUADRANT

HEIGHT 4,5 CM

Dimensions				Code	Colour choice Prices
					30
					White
80 x 80	794	244	796	VIN R 80 4-	
90 x 90	894	344	896	VIN R 90 4-	
100 x 100	994	444	996	VIN R 100 4-	

HOW TO CHOOSE YOUR PRODUCT USING THE CODES:

VINR804-30

=

VINR804-

+

30



* Reinforcing steel profile

OLYMPIC QUADRANT

HEIGHT 11,5 CM

Dimensions				Code	Colour choice Prices
					30
					White
80 x 80	794	244	400	798	VIN R 80 11-
90 x 90	894	344	500	898	VIN R 90 11-
100 x 100	994	444	600	998	VIN R 100 11-

HOW TO CHOOSE YOUR PRODUCT USING THE CODES:

VINR8011-30

=

VINR8011-

+


30

X Embedded in the floor area for unloading H 100

Y The area available for unloading above the floor

• IN STOCK UK

(Other products) please check availability



80x80 - 90x90 - 100x100

LOW PROFILE TRAYS

acrylic capped


Measurements (cm)	Code	Height	Rim	Kg	Price
SQUARE white					
cm 76 x 76	LP75S-30	cm 4.0	cm 6.5	25	
cm 80 x 80	LP80S-30	cm 4.0	cm 6.5	30	
cm 90 x 90	LP90S-30	cm 4.0	cm 6.5	39	
cm 100 x 100	LP100S-30	cm 4.0	cm 6.5	45	




RECTANGLE white					
cm 90 x 76	LP7590-30	cm 4.0	cm 6.5	33	
cm 100 x 80	LP80100-30	cm 4.0	cm 6.5	37	
cm 110 x 80	LP80110-30	cm 4.0	cm 6.5	41	
cm 120 x 80	LP80120-30	cm 4.0	cm 6.5	43	
cm 120 x 90	LP90120-30	cm 4.0	cm 6.5	47	
cm 140 x 90	LP90140-30	cm 4.0	cm 6.5	57	



QUADRANT white					
cm 80 x 80	LP80-30	cm 4.0	cm 6.5	31	
cm 90 x 90	LP90-30	cm 4.0	cm 6.5	37	
cm 100 x 100	LP100-30	cm 4.0	cm 6.5	44	
cm 90 x 80 right	LP8090R-30	cm 4.0	cm 6.5	35	
cm 90 x 80 left	LP8090L-30	cm 4.0	cm 6.5	35	
cm 100 x 80 right	LP80100R-30	cm 4.0	cm 6.5	37	
cm 100 x 80 left	LP80100L-30	cm 4.0	cm 6.5	37	
cm 120 x 80 right	LP80120R-30	cm 4.0	cm 6.5	43	
cm 120 x 80 left	LP80120L-30	cm 4.0	cm 6.5	43	
120 x 90 right	LP90120R-30	cm 4.0	cm 6.5	47	
cm 120 x 90 left	LP90120L-30	cm 4.0	cm 6.5	47	



Low Profile Flat Top with Easy Plumb Kit



Panel + Feet Packs to convert Low profile trays to riser trays

	Code	Price
Panel and feet kit up to 120cm	KPU01	
120cm extension pack up to 170cm	KPU02	
Panel and feet kit for all Quadrants	KPU03	


FAST FLOW WASTE INCLUDED





For technical details see **page 217**

● **IN STOCK UK**
(Other products) please check availability

TECHNICAL DRAWINGS - **LOW PROFILE ACRYLIC CAPPED**



LOW PROFILE ACRYLIC CAPPED SHOWER TRAYS



- ① Same material for grill and shower tray ② Natural texture stone effect
 ③ Gelcoat coating ④ Moulded ribs for superior dimensional stability.
 Adjustable feet automatically supplied with tray for optional raised tray installation



produced using an environmentally friendly process and all materials are 100% recyclable.



materials used have good sound absorption qualities



the tray's thermal qualities and textured surface give a comforting tactile feel



the surface is durable and easy to clean



maximum versatility as can be mounted flush, on-floor or higher on adjustable legs with detachable panels




the natural materials and textures blend aesthetically




Novosolid trays undergo rigorous testing for strength and durability

NOVOSOLID

COATING



STRUCTURE



THE MATERIALS

NOVOSOLID is composed of 75% natural Dolomite Marble, which has a good chemical and physical purity, fine grain and an intense white colour.

Natural high quality resin is mixed with the marble to create a thermally efficient and sound absorbing strong base material.

The surface is formed using a durable thick ISO/NPG polyester resin Gelcoat surface with UV colour safe properties.

The integral base ribs help to make the tray lighter and add dynamic stability and strength.

THE COATING



A pleasant feel underfoot thanks to the stone texture - is naturally anti-slip and gives a sensation of warmth and softness.

NOVOSOLID products are durable, resistant to damage and easy to clean. For daily cleaning it is suggested to use neutral, not acidic anti lime-scale or abrasive cleaning products as they could make the surface become dull.

NOVOSOLID has a characteristic natural look, yet with a high brilliance and softness. Despite the tray's gentle sloping surface few water drops remain as the surface texture tends to repel droplets, this is especially true for hard water.


The material, NOVOSOLID is composed of, is practical in daily use, as accidental scratches or blemishes can be easily removed with a specially developed repair kit.

The same kit is used to finish the raw parts after the cut for custom installation.



FINISHES

A contemporary design shower tray, with a characteristic stone texture surface. Available in matt white and in matt black. The pigments used in the production process are non-polluting, uniform and safe in their daily use as they don't contain lead or cadmium.



TAILORED CUT

NOVO**SOLID** is much more than a product range, it's a new philosophy to consider the space around you. It allows one to adapt the tray to any situation, giving the possibility to create exact sizes and shapes. The tray can be cut up to 10 cm on the long side and 5 cm on the short one.

NOVOSOLID





TRAY HEIGHT 3.5CM
 (HEIGHT WITH LEGS UP TO 14.5 CM)

ALL NOVOSOLID TRAYS AUTOMATICALLY SUPPLIED
 WITH ADJUSTABLE FEET FOR OPTIONAL RAISED TRAY INSTALLATION

Dimensions (mm)	Weight (kg)	Code	Colour choice / Prices	
			30	28
Actual size A x B -2 / +3 mm			Matt White	Matt Black
80 x 80	30	NOS804-		
90 x 90	36	NOS904-		
100 x 100	43	NOS1004-		
100 x 80	36	NOS100804-		
120 x 70	38	NOS120704-		
120 x 80	42	NOS120804-		
120 x 90	46	NOS120904-		
140 x 70	44	NOS140704-		
140 x 80	48	NOS140804-		
140 x 90	53	NOS140904-		
150 x 70	46	NOS150704-		
150 x 80	52	NOS150804-		
160 x 70	49	NOS160704-		
160 x 80	55	NOS160804-		
170 x 70	49	NOS170704-		
170 x 80	58	NOS170804-		
180 x 80	61	NOS180804-		

HOW TO CHOOSE YOUR PRODUCT USING THE CODES:

NOS804-30 = NOS804- + 30



X Embedded in the floor area for unloading H 100



OPTIONAL



Waste column Ø 90 not included
 "with tray" Flow rate 27lt/min

Code	Price
PIL90PCAB-CR40	



Compulsory

Imperial to Metric
 flex waste adaptor

Code	Price
RISCCAB	

• IN STOCK UK
 (Other products) please check availability




REPAIR KIT

OPTIONAL


REPAIR KIT MADE OF:
two-component protective resin for customized cutting
+ Repair kit (customized pack)

Code		Price
Matt White	Matt Black	
KITRNS-30	KITRNS-28	

CUT



REPARATION



Novellini will honour the product's warranty assuming that the correct repair process has been followed using the correct Novellini repair kit

INSTALLATION FLUSH FLOOR



INSTALLATION STANDING ON FLOOR



HIGH INSTALLATION WITH ADJUSTABLE FEET AND SIDE PANELS



OPTIONAL

Easy Plumb kit

Panels can be cut to size (kit includes 2 Panels)
Height of panels 11cm - Height of tray with panels 14.5 cm

Size	Code		Price
	Matt white	Matt black	
90x100	PANPFLNS03-30	PANPFLNS03-28	
90x150	PANPFLNS02-30	PANPFLNS02-28	
90x180	PANPFLNS01-30	PANPFLNS01-28	